



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
[www.uspto.gov](http://www.uspto.gov)

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/706,762	11/10/2003	Daniel R. Caldwell	TI-36721 (032350.B574)	7834
23494	7590	01/12/2006	EXAMINER	
TEXAS INSTRUMENTS INCORPORATED			NGUYEN, DUNG V	
P O BOX 655474, M/S 3999			ART UNIT	
DALLAS, TX 75265			PAPER NUMBER	

3723

DATE MAILED: 01/12/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

**DETAILED ACTION**

***Reply Brief***

1. The reply brief filed 30 November 2005 has been entered and considered. The application has been forwarded to the Board of Patent Appeals and Interferences for decision on the appeal.


***Conclusion***

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dung V. Nguyen whose telephone number is 571-272-4490. The examiner can normally be reached on M-F, 7:00-3:30.

3. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joseph J. Hail can be reached on 571-272-4485. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

4. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

DVN  
January 5, 2006

  
**DUNG VAN NGUYEN**  
**PRIMARY EXAMINER**